

 PSC
 Part
 51.845
 16.0
 66.229
 5.1
 59.223
 24.8

 NOTES:
 Heating capacities based upon 68°F DB, 59°F WB entering air temperature

Cooling capacities based upon 80.6°F DB, 66.2°F WB entering air temperature

Ground Loop Heat Pump ratings based on 15% antifreeze solution All ratings based upon operation at lower voltage of dual voltage rated models

21.8

46.556

4.0

56.553

52.891

4.4



Geoflex Heat Pumps are QPS Approved GF-SD-TD-WA-R410A-11-07-11-TS all rights reserved ©2006 geoflex systems inc. Due to ongoing research and development Geoflex reserves the right to change or alter specifications and configurations without notice!

 Plant Office:
 Administratic

 517 McCormick Blvd., London, Ontario N5W 4C8
 #1, 301 Pakw

 Phone: 519.488.1653
 Fax: 519.913.1259
 Phone: 306.6


 Email: plant@geoflexsystems.com
 Email: administratic

Administration Office: #1, 301 Pakwa PI., Saskatoon, Sk, S7L 6A3 Phone: 306.668.0090 Fax: 306.668.0049 Email: admin@geoflexsystems.com

16

www.geoflexsystems.com

1700



Heating capacities based upon 68°F DB, 59°F WB entering air temperature NOTES: Cooling capacities based upon 80.6°F DB, 66.2°F WB entering air temperature

Ground Loop Heat Pump ratings based on 15% antifreeze solution All ratings based upon operation at lower voltage of dual voltage rated models


Phone: 306.668.0090 Fax: 306.668.0049 Email: admin@geoflexsystems.com

		www.ge	oflexsystems.com
Plant Office:		Administration Office:	
517 McCormick Blvd., London, Ontario N5W 4C8		#1, 301 Pakwa Pl., Saska	atoon, Sk, S7L 6A3
Phone: 519.488.1653	Fax: 519.913.1259	Phone: 306.668.0090	Fax: 306.668.0049

Email: plant@geoflexsystems.com



Geoflex Heat Pumps are QPS Approved GF-SD-DD-WA-R410A-11-07-11-TS all rights reserved ©2006 geoflex systems inc. Due to ongoing research and development Geoflex reserves the right to change or alter specifications and configurations without notice!



Geoflex Heat Pumps are QPS Approved GF-SD-HZ-WA-R410A-11-07-11-TS all rights reserved ©2006 geoflex systems inc Due to ongoing research and development Geoflex reserves the right to change or alter specifications and configurations without notice!

www.geoflexsystems.com Plant Office: 517 McCormick Blvd., London, Ontario N5W 4C8

Fax: 519.913.1259

Phone: 519,488,1653

Email: plant@geoflexsystems.com

Administration Office: #1, 301 Pakwa Pl., Saskatoon, Sk, Phone: 306.668.0090 Fax: 30 S7L 6A3 Fax: 306.668.0049 Email: admin@geoflexsystems.com